



Energy Analysis of Mini-trawl Operations, off Cochin, Kerala, India

M.R. Boopendranath^{1*} and M. Shahul Hameed²

School of Industrial Fisheries, Cochin University of Science and Technology, Cochin - 682 016, India

Abstract

Mini-trawls are towed gear consisting of funnel shaped body of netting closed by a bag or codend and extended sides in the front to form wings. They are usually operated from a single vessel, using a pair of small otter boards as horizontal spreading device. Fish production and energy requirement in the mini-trawl operations, off Cochin, Kerala, India are discussed in this paper. Mini-trawling is generally targeted at coastal prawn resources, particularly *Parapenaeopsis styliifera* and *Metapenaeus dobsoni*. Mean catch per year per mini-trawler during the period of study (1997-98) was 10.26 t, 48.1% of which was constituted by prawns, followed by flat fishes (33.1%), crabs (12.0%) and miscellaneous finfishes (6.8%). Total embodied energy inputs into mini-trawler operation was estimated to be 207.04 GJ and the energy equivalent of fish produced was 38.62 GJ. The GER t fish⁻¹ for mini-trawling was estimated to be 20.2 GJ, which is quite high for a coastal fishing operation. Kerosene constituted 86.24% of the GER, followed by petrol (8.39%), lubricating oil (3.30%), fishing gear (1.4%), outboard motor (0.58%) and fishing craft (0.06%). Energy ratio for mini-trawling was 0.19 and energy intensity 5.36. The mini-trawl operations in the coastal waters need to be strictly regulated in view of the high GER and predominance juveniles in the landings and the implied negative impacts on environment and resources.

Keywords: Mini-trawl; fish production; Gross Energy Requirement

Received 28 December 2011; Revised 20 March 2012; Accepted 04 May 2013

* E-mail: boopendranath@hotmail.com

¹ Present Address: 18/1990B, Manjusha, Pratheeksha Nagar, Thoppumpady, Cochin - 682 005, India

² Present Address: Aneez Mansil, 4th Lane, Kaloorkathrakkadavu Road, Kaloorkath, Cochin - 682 017, India

Introduction

The introduction of outboard motors in coastal fisheries has transformed the face of traditional fishing activities and has brought about changes in the existing crafts and gears operated in this sector. One of the significant outcome is the facility to drag a mini version of trawl net from the small traditional craft which was modified with transom to facilitate the fitting of an outboard motor. The mini trawl is usually operated from a single vessel, using a pair of small otter boards as horizontal spreading device.

Tulay & Smith (1982) and Dickson (2001) have reported on the mini trawl or "baby trawl" operations in the San Miguel Bay in the Philippines. Hameed et al. (1989) described the design, operation and economic performance of mini-trawls, operated from Cochin and Munambam, during 1987-88. Girijavallabhan (1994) reported a form of mini-trawl operation along south Malabar coast, which was conducted using two traditional motorised boats without using otter boards (pair trawling). Vijayan et al. (1990) developed an improved mini-trawl design suitable for traditional motorised crafts, based on comparative fishing trials. Mini-trawl fishery of Kerala has been discussed by Ammini et al. (2004) and Nandakumar et al. (2005). Remesan & Ramachandran (2005) has described mini-trawls with head rope length of 3.5-8 m rigged with 6-7 kg flat rectangular wooden otter boards operated from non-motorised wooden canoes (4-5 m L_{OA}) in the estuarine areas in Kasargod, Kerala, for harvesting shrimps, crabs and finfishes


The number of mini-trawl gears in Kerala, during 1991 was estimated to be 1648 (SIFFS, 1992). Their number rose to 4351 in 1998 (SIFFS, 1999), registering an average annual growth rate of 27.3%. Mini-trawls are operated from plank canoes and plywood boats fitted with outboard engines, in the coastal waters. Plank-built canoes with transom are the dominant craft used for mini-trawl operations in

frequency were 11.4% (4 units) and every three days, respectively.

Design drawing of mini-trawl is given in Fig. 1 and details of rigging and otter boards are given in Fig. 2. Mini-trawl has a two-panel construction. Polyethylene netting of R190tex and R370tex are used for net body and codend, respectively. Mesh size varied from 22 to 20 mm in the wings, net body and codend. Design differed in certain details from the description given by Hameed et al. (1989) and Vijayan et al. (1990). The head rope and foot rope of the mini-trawl were generally of 11.0 and 12.4 m long, respectively. The wing-ends were connected to the otter boards by means of double bridles of 9.5 m polypropylene ropes (10 mm dia). Seven plastic floats of 100 mm dia were attached along the head rope for buoyancy and about 7 kg of iron link chain was attached to the foot rope as sinkers.

Energy analysis of mini-trawling and determination of Gross Energy Requirement per tonne of fish landed (GER t fish⁻¹), Energy Ratio and Energy Intensity, were carried out following the methodology and conventions recommended by IFIAS (International Federation of Institutes for Advanced Study) (1975) and other authors (Edwardson, 1976; Mittal & Dhawan, 1988; EMC, 1991; Boopendranath, 2000; Boopendranath and Hameed, 2009).

Data on fish production were collected from different landing points located in Chellanum-Saudi (Ernakulam Dist.) according to a pre-fixed sampling schedule, during 1997-98. Data on fishing operations were collected by discussions with the operators as per a structured Schedule prepared for the purpose and onboard visits. Sample size and sampling



Polypropylene ropes (10 mm dia) of 140 m length were used as towing warps. The otter boards used were of flat rectangular type, weighing 16 kg each and constructed of wood and steel (Fig. 2).

Mini-trawls in the study area, were operated from plank-built canoes with transom. The size of the crafts varied from 6.1 to 7.6 m L_{OA} . Plank canoes with transom are being fabricated by seaming together appropriately shaped planks of Jungle jack (*Artocarpus hirsuta*) by means of coir ropes. Fish oil, black oxide and natural resins are used for preservative treatment and water-proofing. The transom is provided with a V-cut in order to facilitate the fixing of outboard motor. A wooden rod of about 2.5 m long and 100 mm dia was fastened to the craft, a little over 2 m, ahead of the stern. Two iron rings of 100 mm dia, one each fitted to the distal ends of the rod, served as towing blocks, during the operation of the gear.

The outboard motors used for propulsion, were of water cooled, two-stroke engine type, generating a maximum output of 12 hp (8.8 kW) at 5,500 rpm. The gear ratio is 2.08 (27:13) and propeller size is

3 x 234 x 203 mm (No. of blades x diameter x pitch). The engine weighs 37 kg. The engine operates on petrol from a small auxiliary tank up to 1500 rpm, and then automatically switches over to kerosene.

Mini-trawl fishermen set out for fishing at 05.00 - 05.30 h, in the morning. Generally, 7 fishermen are attached to a mini-trawling unit and of them 2-5 fishermen go onboard for fishing. Mini-trawls are operated in the coastal waters within the depth range of 5.5 to 27 m. After reaching the ground, the codend is tied and the net, bridles and otter boards are released, followed by warps at a scope ratio of 5 to 15. Normal duration of tow is from 1 to 1.5 h. The fishermen return to the base for marketing the catch, by 13.00 to 14.00 h. This fishing practice is seasonal extending from September to November and again from March to May. Mean number of fishing days per year was 120.

Mini-trawling is generally targeted at coastal prawn resources, particularly *Parapenaeopsis stylifera* and *Metapenaeus dobsoni*. Mean catch per year per mini trawler during the period of study was 10.26 t,





Fig. 2. Rigging details of mini-trawl

Table 1. Results of energy analysis of mini-trawling

	GJ	Annual GER, GJ
<i>Operational energy requirement</i>		
Kerosene	178.56	
Petrol	17.36	
Lubricating oil	6.83	
Sub-total	202.76	202.76
<i>Fishing gear</i>		
Mini-trawl with appurtenances	1.327	1.32
Towing warp	0.741	0.74
Otter boards	0.446	0.89
<i>Fishing craft</i>		
OBM	2.398	1.20
Total		207.04

48.1% of which was constituted by prawns, followed by flat fishes (33.1%), crabs (12.0%) and miscellaneous finfishes (6.8%). The mean catch day⁻¹ obtained was maximum during the month of September (160 kg mini-trawler⁻¹ day⁻¹). During other productive months *viz.*, October-November and March-May, the catch varied from 54 to 84 kg mini-trawler⁻¹ day⁻¹ (Fig. 3).

Energy intensity is the amount of energy required to create a unit of output energy (energy input / energy output). It is the reciprocal of energy ratio and is equal to GER expressed in terms of output energy (Slessor, 1988; EMC, 1991). Results of energy analysis is given in Table 1. Total embodied energy inputs into mini-trawler operation was estimated to

Fig. 3. Mean catch day⁻¹ of mini-trawlers

be 207.04 GJ and the energy equivalent of fish produced was 38.62 GJ. The GER t fish⁻¹ for mini-trawling was estimated to be 20.2 GJ, which is quite high for a coastal fishing operation. Kerosene constituted 86.24% of the GER, followed by petrol (8.39%), lubricating oil (3.30%), fishing gear (1.4%), outboard motor (0.58%) and fishing craft (0.06%). Energy ratio for mini-trawling was 0.19 and energy intensity 5.36.

GER per tonne of fish landed by non-motorised gill netting operations has been estimated as 0.61 GJ and that of stake net operations as 5.19 GJ (Boopendranath & Hameed, 2009; 2010). The GER t fish⁻¹ determined for mini-trawling (20.2 GJ), was quite high for a coastal fishing operation and extremely high compared to passive fishing methods like non-motorised gillnetting and stake net operations. The predominance of juveniles in the mini-trawl landings and its economic implications has been reported by Ammini et al. (2004), Nandakumar et al. (2005), Najmudeen & Sathiadhas (2008) and others. The mini-trawl operations in the coastal waters need to be strictly regulated in view of the high GER and predominance of juveniles in the landings and the implied negative impacts on environment and resources.

Acknowledgements

The first author thanks Cochin University of Science and Technology, Cochin, for the facilities provided for this study at the School of Industrial Fisheries; Director, Central Institute of Fisheries Technology, for granting the sabbatical, during which this work was undertaken; and traditional min-trawl fishermen of Ernakulam, for their cooperation and assistance, during the course of collection of materials for this study.

References

- Ammini, P.L., Prasad, C.J. and Subbaraman, G. (2004) The mini-trawl fishing of Kerala, Mar. Fish. Infor. Serv. T&E Ser. 181: 4-5
- Boopendranath, M.R. (2000) Studies on Energy Requirement and Conservation of Selected Fish Harvesting Systems, Ph.D. Thesis, Cochin University of Science and Technology, Cochin, India
- Boopendranath, M.R. and Hameed, M.S. (2009) Energy analysis of traditional non-motorised gill net operations in Vembanad lake, Kerala, India, Fish. Technol. 46(1): 15-20
- Boopendranath, M.R. and Hameed, M.S. (2010) Energy Analysis of stake net operations in Vembanad lake, Kerala, India, Fish. Technol. 47(1): 35-40

- Boopendranath, M.R., George V.C. and Hameed, M.S. (2009) Fish production and Energy Requirement during Demersal and Aired Midwater Trawling by Intermediate range Freezer Trawler, *Asian Fish. Sci.* 22(2): 415-428
- Boopendranath, M.R., George, V.C. and Hameed, M.S. (2010) Energy efficiency in trawling operations, *Jour. Coast. Env.* 1(1): 53-70
- Dickson, J.O. (2001) Shrimp trawl fisheries in the Philippines, In: *Tropical Shrimp Fisheries and their Impact on Living Resources*, FAO Fisheries Circular. No. 974, FAO, Rome
- Edwardson, W. (1976) The energy cost of fishing, *Fishing News Int.* 15: 36-39
- EMC (1991) Energy Conservation in Selected Government Farms, Energy Management Cell, New Delhi: 85 p
- Girijavallabhan, T. (1994) A note on the introduction of double net along south Malabar coast, *Mar. Fish. Infor. Serv., T & E Ser. No.* 130: 13-14
- Hameed, M.S., Bellaramine, K.C., Kumar, K.A. and Mukundan, M. (1989) Observation of the operation on mini trawl in the coastal waters of Kerala, p. 177-189, In: *Proc. World Symposium on Fishing Gear and Fishing Vessel Design 1988*, Marine Institute, St. John's, Newfoundland, Canada
- IFIAS (1975) Energy Analysis Workshop on Methodology and Conventions, Guildmedshytten, Sweden, August 1974, International Federation of Institutes of Advanced Study, Ontario, Canada
- Kurup, B.M., Purushan, K.S., Pillai, N.G.K., Boopendranath, M.R., Lathy, K.M., Mony, P.R., Saira Banu, Sahadevan, P., Anithakumari, D., Sandhia, R. (2009) Report of the Expert Committee for the Registration of Fishing Vessels, Directorate of Fisheries, Vikas Bhavan, Govt. of Kerala Thiruvananthapuram: 189 p
- Mittal, J.P. and Dhawan, K.C. (1988) Research Manual on Energy Requirements in Agricultural Sector, College of Agricultural Engineering, Punjab Agricultural University, Ludhiana
- Najmudeen, T.M. and Sathiadhas, R. (2008) Economic impact of juvenile fishing in a tropical multi-gear multi-species fishery, *Fish. Res.* 92: 322-332
- Nandakumar, G., Radhakrishnan, E.V., Chellappan, K. and Baby, P.K. (2005). Shrimp fishing by mini-trawling along alleppey coast, Kerala, *J. Mar. Biol. Ass. India* 47(2): 169-174
- Remesan, M.P. and Ramachandran, A. (2005) Mini-trawls for estuarine fishing in Kasargod District, *Fish. Technol.* 42(1): 41-46
- SIFFS (1992) A Census of Artisanal Marine Fishing Fleet of Kerala 1991, South Indian Federation of Fishermen Societies, Trivandrum: 122 p
- SIFFS (1999) A Census of Artisanal Marine Fishing Fleet of Kerala 1998, South Indian Federation of Fishermen Societies, Trivandrum: 132 p
- Slessor, M. (Ed) (1988) Macmillan Dictionary of Energy, 2nd edn., The Macmillan Press Ltd., London and Basingstoke
- Tulay, E. and Smith, I.R. (1982) Costs and earnings of mini trawlers, In: *Small-Scale Fisheries of San Miguel Bay, Philippines: Economics of Production and Marketing* (Smith, I.R. and Mines, A.N., Eds), pp 64-77, ICLARM Technical Report 8, Institute of Fisheries Development and Research, College of Fisheries, University of the Philippines in the Visayas, Quezon City, Philippines; ICLARM, Manila, Philippines; and the United Nations University, Tokyo, Japan
- Vijayan, V., Varghese, M.D., George, V.C. and Unnithan, G.R. (1990) Evolution of an improved trawl for traditional motorised craft. *Fish. Technol.* 27: 83-86