

Supplementary Table 1 Descriptive statistics of leaf injury parameters (n = 36) during drought stress in citrus genotype

Statistical parameter	No. of functional leaves	No. of yellow leaves	No. of scorched leaves	No. defoliated leaves	No. of rolled leaf	Leaf wilting score
Mean	55.38	15.31	12.17	8.97	10.75	3.40
Standard error	3.25	1.69	1.10	0.92	1.42	0.19
Median	56.00	15.50	13.00	9.00	7.00	4.00
Mode	65.00	0.00	18.00	10.00	3.00	4.00
Standard deviation	19.49	10.17	6.57	5.50	8.51	1.12
Sample variance	379.73	103.42	43.17	30.26	72.36	1.25
Kurtosis	-1.18	-1.21	-0.51	-1.19	-0.93	0.29
Skewness	0.06	-0.02	-0.63	0.05	0.59	-0.94
Range	66.00	32.00	24.00	18.00	28.00	4.00
Minimum	25.50	0.00	0.00	0.00	0.00	1.00
Maximum	91.50	32.00	24.00	18.00	28.00	5.00
Sum	1993.50	551.00	438.00	323.00	387.00	122.50
Largest (1)	91.50	32.00	24.00	18.00	28.00	5.00
Smallest (1)	25.50	0.00	0.00	0.00	0.00	1.00
Confidence level (95.0%)	6.59	3.44	2.22	1.86	2.88	0.38