

MANAGEMENT INTERVENTIONS FOR IMPROVING ECONOMIC EFFICIENCY OF IRRIGATION WATER RESOURCE IN ANDHRA PRADESH

*K.N. Ravi Kumar and D. Srinivas**

The story of food security in the 21st century in India is likely to be closely linked to the story of water security. In the coming decades, the farmers will need to produce enough food to feed more people in the country, yet there are virtually no untapped and cost-effective sources of water for them to draw on as they face this challenge. Moreover, the farmers will have to face heavy competition for this water from non-agricultural sector usage. Irrigation played a vital role to achieve food security and sustainable livelihoods especially in developing countries like India during the Green Revolution period through increased income, improved health and nutrition locally and by bridging the gap between production and demand nationally. But today, this essential resource is under severe threat.

The growing national, regional and seasonal irrigation water scarcities in the country pose several challenges for the Government to combat this situation. The challenge of the growing irrigation water scarcity is heightened by the increasing costs of developing new irrigation water sources, degradation of soil in irrigated areas, depletion of ground water, inappropriate management of irrigation water leading to salinity, degradation of water related ecosystems, wasteful use of already developed irrigation water supplies often encouraged by subsidies and distorted incentives of irrigation water usage. No doubt, in India, the success of irrigation in ensuring food security and improving rural welfare has been impressive, but past experiences also indicate that inappropriate management of irrigation has led to severe problems like excessive water depletion, reduction in water quality, water logging, salinization, marked reduction in the annual discharge of some of the rivers, lowering of ground water table due to pumping at unsustainable rates, intrusion of salt water in some coastal areas etc. Many water quality problems have also been created which lead to withdrawals of irrigation water from agriculture. Moreover, poor irrigation practices accompanied by inadequate drainage have often damaged soils through over saturation and salt, build-up. The same is the case in the state of Andhra Pradesh in general and in Krishna Western Delta (KWD) in particular, where acute water scarcity, water logging and soil salinity are the major problems affecting agriculture. The farmers in KWD faced a peculiar situation during the past three to four years, where they could not cultivate a second (rabi) crop because of the acute water scarcity conditions. Different water management

* Scientist (Agricultural Economics); Scientist (Soil Science) Andhra Pradesh Water Management (APWAM) Project, Bapatla – 522 101 (ANGRAU)

interventions need to be given more emphasis for sustaining agricultural production with less water or to ensure more crop per drop of water used. The present paper highlights the changing irrigation scenario in the KWD, declining economic efficiency of irrigation water resource and the important water management strategies to be planned in this region so as to sustain the farmers in agri-business, besides studying the conceptual framework of Integrated Water Resource Management (IWRM) in relevance to KWD.

Methodology

KWD was purposively selected for this study, as acute water scarcity prevailed in this area for the past three to four years and the quality of agricultural production was severely affected due to severe soil salinity and water logging. It is felt by the researchers that, the farming community in KWD needs to adopt different water saving crop production technologies so as to sustain them in agri-business. All the mandals (31), which fall under the KWD area, representing the two districts viz., Guntur (24) and Prakasam (7) were selected for this study. Both primary and secondary sources form the database. The information/data pertaining to the irrigated area and area irrigated under different sources of the KWD were collected from the Chief Planning Offices of Guntur and Prakasam districts. Besides secondary sources, a sample of 40 farmers per each crop enterprise/technology were interviewed for eliciting the requisite information on cost of cultivation, identification and prioritization of researchable issues on irrigation water management. The following are the analytical techniques used for drawing realistic conclusions from the collected data/information:

1. Compound Growth Rates (CGRs) were worked out by semi-log method to study the growth in irrigated area and area irrigated under different sources in KWD. The following model was used to study the CGRs :

$$Y = ab^t$$

$$\text{Log } Y = \log a + b \log t$$

Where, Y = Irrigated area

a = intercept

b = Regression coefficient

t = time period, 1, 2, 3n years

r = antilog (log b-1) x 100

where, $r = \text{CGR}$

2. Pearson's Correlation analysis of the following model was analysed to study the degree of association between irrigation cost and gross returns of paddy:

$$r = \frac{E_{xy} - [(E_x * E_y)/n]}{\text{Sqrt. } \{ [E_x^2 - (E_x)^2 / n] * [E_y^2 - (E_y)^2 / n] \}}$$

Where, r = correlation coefficient, x = variable 1, y = variable 2, n = no. of observations

' t ' values were worked out to test the significance of correlation coefficients by using the following formula :

$$t = \frac{r * \text{Sqrt. } (n-2)}{\text{Sqrt. } (1-r^2)}$$

3. Linear Regression Analysis of the following model was used to study the influence of irrigation cost on gross returns of paddy :

$$Y = ab^x$$

$$\text{Log } Y = \log a + b \log x + U$$

Where, Y = Gross returns of paddy

a = Intercept

b = Regression Coefficient

x = Irrigation cost incurred

U = error term

' t ' and ' F ' values were worked out to test the significance of individual regression coefficients and overall regression respectively and relevant conclusions were drawn.

4. Garrett's ranking test was employed to prioritize the researchable problems pertaining to irrigation scenario in KWD.

$$\text{Per cent position} = \frac{100 \times (R_{ij} - 0.5)}{N_j}$$

R_{ij} : Rank given to the i th factor by j th individual

N_j : Number of factors ranked by j th individual

Besides these tools of analysis, simple mathematical tools like ratios and percentages were also employed to draw relevant conclusions.

Results and Discussion

Growth in irrigated area

The growth in area under different irrigation sources often indicates the potentiality of different sources in meeting the irrigation requirements of crops in KWD and the same was analyzed through table 1. It is quite disappointing to note from table 1 that, canals, which form the major irrigation source of the delta, showed declining growth rate (-5.84%) with reference to area irrigated by this source for the period, 1992-93 to 2001-02. Similarly, tube wells and filter points and other wells could not contribute much to the irrigated area in KWD, as evidenced by the declining growth in irrigated area from these sources to a tune of -6.56 and -5.25 per cent respectively. With the advent of Daruvu technology, which is particularly suitable for sandy soils, tanks contribute a significant positive growth in irrigated area by 8.97 per cent. Lift irrigation is also contributing a significant growth in irrigated area in the delta by 4.74 per cent. This implies that, with the growing water scarcity in the study area either due to erratic rainfall or less water release into the canals, both tanks and lift irrigation sources are contributing more towards irrigating the crops. This further signifies the importance of water harvesting in the study area. Due to less contribution from the canals, tube wells, filter points and other wells, the net area irrigated also showed declining growth at a rate of -5.35 per cent. However, with the advent of Daruvu technology and realizing the importance of water harvesting techniques and increased contribution from lift irrigation sources, the area irrigated more than once showed positive growth rate of 0.83 per cent, through non-significant. As a result, it could not compensate the declining trend of net area irrigated and hence, the gross area irrigated also showed significant declining growth rate of -5.01 per cent. This clearly implies that, the major irrigation sources viz., canals, tube wells and filter points and other wells could not contribute much towards the growth in gross irrigated area in KWD.

**Table 1: Growth in irrigated area in KWD under different irrigation sources
(1992-93 to 2001-02)**

S.No	Source	Growth Rate (%)
1.	Canals	-5.84*
2.	Tanks	8.97*
3.	Tube wells & Filter points	-6.56*
4.	Other wells	-5.25NS
5.	Lift Irrigation	4.74**
6.	Gross Area Irrigated	-5.01*
7.	Net Area Irrigated	-5.35*
8.	Area irrigated more than once	0.83NS

*Note : ** - Significant at 1% level, * - Significant at 5% level, NS - Non-Significant*

Raw Data Source : Chief Planning Offices - Guntur and Prakasam districts

Growth in crop-wise irrigated area

Having studied the growth pattern of overall irrigated area and source-wise irrigated area, it is important to study the growth in irrigated area under major crops cultivated in KWD, as it highlights the crops that are gaining more significance under irrigated situations. The analytical findings are presented in table 2. It is quite interesting to note from the table that, paddy, which is the major crop cultivated in KWD under irrigated conditions is showing negative growth rate (-0.68%) regarding the growth under irrigated area. This might be due to declined contribution from canal irrigation source in the study area (Table 1). Turmeric and groundnut also exhibited negative growth trends to a tune of -3.57 and -1.26 percents respectively. Cotton, chillies and sugar cane, showed positive growth trends, but turned out to be non-significant. This analysis further confirms the declined contributions from major irrigation sources in KWD.

Table 2: Growth in crop-wise irrigated area in KWD (1992-93 to 2001-02)

S.No	Crop	Growth Rate (%)
1.	Paddy	-0.68 NS
2.	Cotton	8.25 NS
3.	Chillies	8.08 NS
4.	Turmeric	-3.57 NS
5.	Sugar cane	3.82 NS
6.	Groundnut	-1.26 NS

Note : NS - Non-Significant

Raw Data Source : Chief Planning Offices - Guntur and Prakasam districts

Economic analysis of major crops cultivated in KWD

In KWD, a wide variety of crops viz., cereals, pulses, oilseeds and commercial crops were cultivated. The cost of cultivation of these major crops was studied, as it analyses the economic prospects of the farming community from agribusiness and the details are shown in table 3. It is clear from the table that, chilli is the most profitable crop cultivated in KWD, as indicated by the highest benefit-cost ratio (BCR) of 3.61. It is followed by turmeric, cotton and maize crops with 2.08, 1.17 and 1.16 BCRs respectively. The recent explosion of the technology relating to less water paddy production system viz., System of Rice Intensification (SRI) had boosted the net returns of farmers in KWD. As a result, the BCR was higher for SRI paddy (0.99) than normal transplanted paddy (0.52). This implies that, the farmers in KWD are very progressive, as they adopt modern technologies on a scientific scale.

Table 3: Economics of major crops cultivated in KWD (Rs/ha)

Crops	TCOC	Gross Returns	Net Returns	BCR
Paddy (SRI)	18566.72	37911.63	19344.91	1.04
Paddy (Transplanted)	18323.64	27921.41	9597.77	0.52
Paddy (Semi-dry)	13771.28	22856.25	9084.97	0.66
Maize	19744.73	42558.20	22813.48	1.16
Rice fallow black gram	12189.88	20034.25	7844.38	0.64
Bengal gram	20046.68	32563.23	12516.55	0.62
Groundnut	28313.35	38736.13	10422.78	0.37
Cotton	29754.93	64580.93	34826.00	1.17
Chillies	39834.58	183733.38	143898.80	3.61
Sugarcane	57010.55	94320.15	37309.60	0.65
Turmeric	58311.68	179447.53	121135.85	2.08

Note: TCOC – Total Cost of Cultivation

Source : Personal Interviews with the farmers

Employment generated by the selected crop enterprises

Practicing agricultural business is not only a means of livelihood, but also contributes employment to the farm family and agricultural labour. The contribution of different crop enterprises towards employment generation was studied and the details are shown in table 4. It is evident from table 4 that, all the selected crop enterprises contribute employment of more than two months except for maize and pulse crops. Cultivating paddy/oilseed/commercial crops in the kharif season followed by pulses in rabi season will contribute employment for nearly four months in a year.

Table 4: Number of man days of employment generated by the selected crop enterprises in KWD (2003-04)

S.No.	Crop enterprises	Man days/acre/season
1	Paddy (SRI)	75.73
2	Paddy (Transplanted)	70.51
3	Paddy (semi-dry)	89.71
4	Maize	45.56
5	Rice fallow black gram	24.12
6	Bengal gram	52.73
7	Groundnut	88.47
8	Cotton	62.42
9	Chillies	82.43
10	Sugarcane	131.43
11	Turmeric	90.94

Source : Personal Interviews with the farmers

Economic efficiency of irrigation water resource

The efficient use of irrigation water resource was studied by working out the share of irrigation cost in TOC and by computing its economic efficiency in the production programme and the analytical findings are presented through table 5. It is clear from the table that, the share of irrigation cost in TOC was highest for maize (10.19) followed by turmeric (10.03) and chillies (9.21). It is quite disappointing to note that, for these crops, this share is higher than paddy (transplanted) and even sugarcane, an year round crop. This implies that, this resource was over utilized than the actual requirement in case of maize, turmeric and chillies. The share of irrigation cost in TOC not only depends upon the irrigation cost alone, but also on the extent of use of other resources in the production programme, as they directly contribute to the TOC. It is interesting to note from the table that, both in SRI and semi-dry paddy production technologies, the share of irrigation cost in TOC is lower (2.92 and 4.24 per cent respectively) when compared to transplanted technology (5.63%). This is because, in SRI cultivation technology, the field was maintained under saturated condition upto the panicle initiation stage. In semi-dry technology, alternate wettings are given to the crop upto the panicle initiation stage. In case of transplanted technology, the main field was always kept under water-logged condition. However, irrespective of any production technology practiced in paddy, after panicle initiation stage, 5 cm depth of water is maintained in the main field, as panicle initiation and flowering are the critical moisture sensitive stages of the crop.

However, the share of irrigation cost in TOC of selected crops does not give the correct picture about the efficiency of irrigation water usage, as it depends on several factors like duration of the crop, extent of use of other resources, farming situation etc.

Table 5: Efficient use of irrigation water resource for selected crop enterprises in KWD

S.No.	Crop	% share of irrigation cost in TOC	Economic efficiency of irrigation resource
1	Paddy (SRI)	2.92	89.75
2	Paddy (Transplanted)	5.63	36.71
3	Paddy (semi-dry)	4.24	48.11
4	Maize	10.19	32.97
5	Groundnut	4.73	39.38
6	Chillies	9.21	69.76
7	Sugarcane	4.39	68.39
8	Turmeric	10.03	43.59

Note : TOC – Total Operational Cost

Raw Data Source : Personal interviews with the farmers

To get a meaningful picture about the efficient use of irrigation water resource, the economic efficiency was worked out by computing the ratio between gross returns and irrigation cost incurred for the selected crop enterprises. Table 5 reveals that, the ratios were significantly higher for SRI cultivation technology of paddy (89.75), followed by chillies (69.76) and sugarcane (68.39). It is quite interesting to note from the table that, for transplanted technology of paddy, the economic efficiency of irrigation water resource is very low to a tune of 36.71. This implies that, this resource was not effectively contributing to the gross returns of paddy under transplanted scenario. A comparative picture with the SRI and semi-dry production technologies indicates that, the efficiency can be boosted by judiciously using the irrigation water resource rather than its indiscriminate application. Hence, there lies an immense need to exploit this resource use in paddy. The higher economic efficiency of irrigation water resource in SRI cultivation technology of paddy is really an encouraging aspect for planning different water saving technological interventions in paddy.

Degree of association between irrigation cost and gross returns of selected crop enterprises

To study the degree of association between the irrigation cost incurred and gross returns earned from the selected crop enterprises, correlation analysis was done and the analytical findings are presented in table 6. It is quite interesting to note from the table that, there exists strong positive correlation between the selected variables for maize (0.82), groundnut (0.96), chillies (0.94), sugarcane (0.96) and turmeric (0.90) crops, implying that, with increased application of irrigation water the crop yields increased, thereby, leading to higher returns. However, in case of paddy, for transplanted technology, there exists low and non-significant correlation between the irrigation cost and gross returns, (0.36) indicating that, the excess use of water does not contribute to higher returns. For semi-dry paddy, there exists moderately strong positive correlation between the variables, to a tune of 0.53 (significant at 5% level), indicating that, with increased irrigation application. the crop will respond better, thereby leading to higher yields. However, this positive relationship is only upto a certain level of irrigation water application, as its indiscriminate usage proved non-significant relationship/association with gross return, in case of transplanted paddy.

It is interesting to note that, in case of SRI cultivation technology of paddy, there exists negative and significant correlation (-0.88) between the selected variables, indicating that, with reduced irrigation supply to the crops, the yields increased, thereby leading to higher returns. In SRI technology, the field was maintained under saturated condition only upto panicle initiation stage and this enabled the crop to develop profuse root system and good number of tillers (45-50 tillers/hill). This directly contributes to higher yield and returns in SRI cultivation technology of paddy. This signifies that, less water usage in paddy production can contribute to higher yields. The excess of irrigation water used in cultivating paddy under transplanted technology (ie., over and above the SRI cultivation technology), can be properly exploited to cultivate a second crop or by regulating the flow to the tail end commands.

Influence of irrigation cost on the gross returns of selected crop enterprises

Having studied the degree of association between the irrigation costs and gross returns, it is important to analyze the impact of change in irrigation cost over gross returns of the selected crop enterprises. Linear regression model was fitted to analyze the same and the details are presented in table 7. It is interesting to note from the table that, this model is statistically significant for all the crop enterprises(except for transplanted technology of paddy), as indicated by the significant values of Co-efficient of Multiple Determination (R^2).

Table 6: Correlation analysis between irrigation cost and gross returns of selected crop enterprises

S.No	Crop	Correlation coefficient
1	Paddy (SRI)	-0.88**
2	Paddy (Transplanted)	0.36NS
3	Paddy (semi-dry)	0.53*
4	Maize	0.82**
5	Groundnut	0.96**
6	Chillies	0.94**
7	Sugarcane	0.96**
8	Turmeric	0.90**

Note: **-Significant at 1% level, *-Significant at 5% level and NS – Non-Significant

Raw Data Source : Personal interviews with the farmers

Table 7: Influence of irrigation cost on the gross returns of selected crop enterprises

S.No	Crop	Intercept	X ₁ (IC)	Adj R ²
1.	Paddy (SRI)	9.05**	-1.70**	0.73**
2.	Paddy (Transplanted)	4.62**	0.06NS	0.33NS
3.	Paddy (semi-dry)	3.96**	0.94*	0.68**
4.	Maize	2.13**	0.80**	0.66**
5.	Groundnut	1.44**	1.05**	0.93**
6.	Chillies	2.08**	0.93**	0.88**
7.	Sugarcane	1.84**	0.99**	0.93**
8.	Turmeric	1.20**	1.12**	0.80**

Note: IC – Irrigation costs, **-Significant at 1% level, *-Significant at 5% level and NS – Non-Significant

Raw Data Source : Personal interviews with the farmers

A close perusal of table 7 reveals that, irrigation costs exerted significant positive impact on the gross returns of the selected crop enterprises viz., maize, groundnut, chillies, sugarcane and turmeric, implying that, for every one per cent increase in irrigation costs, the gross returns will increase by 0.80, 1.05, 0.93, 0.99 and 1.12 per cent respectively. It is interesting to note that, in case of SRI cultivation technology of paddy, the irrigation cost is exerting significant negative impact on the gross

returns. To be more precise, for every one per cent increase in irrigation cost, the gross returns will decrease by 1.70 per cent. This signifies the fact that, with less water usage in SRI cultivation technology, the yields will increase, thereby leading to higher returns. In case of semi-dry technology of paddy, for every one per cent increase in irrigation cost, the returns can be boosted by 0.94 per cent, implying that, the judicious use of irrigation resource will fetch higher returns. This is further confirmed from the transplanted technology of paddy, as the indiscriminate increase in irrigation cost could not boost the gross returns to a significant extent. This suggests that, the excess use of irrigation water in case of paddy could not account much for boosting the gross returns. Hence, recommendation of less water use paddy production technologies should assume more significance in KWD, as they yields two benefits viz., enable the farmers to cultivate a second crop and the excess water (over and above the quantity recommended for SRI technology) can be regulated to the tail end commands. With increasing cropping intensity, the number of man days of employment will increase significantly in KWD. As the KWD harbours significant number of working population (farmers and agricultural labour) in agriculture to a tune of 66 per cent of total population of KWD, the increase in cropping intensity through economizing water usage, will sustain them in agri-business.

Comparative economics of paddy cultivation under different water management interventions

To highlight the importance of different water saving crop production technologies in sustaining the farming community in agri-business through increasing the cropping intensity and number of man days of employment, comparative economics of paddy cultivation was studied under different water management situations. Paddy was selected for this study because, it is the major crop cultivated in KWD and it is the major water-consuming crop, thereby, not allowing the farmers to cultivate a second crop in rabi season. Hence, the economics of paddy cultivation under different water management situations was studied, as it guides the farmers in practicing the best technology for which the BCR is highest. Three important water management technologies viz., transplanted, semi-dry and SRI were studied in-detail. Transplanting method is normally followed by the farmers, where as, semi-dry and SRI production technologies were less adopted by the farmers. Even though semi-dry method is an age-old practice, the farmers were habituated to cultivate paddy under transplanted condition only, because of the irrigation facilities in KWD. SRI cultivation is relatively a modern water saving technology, but it is less adopted in KWD, as the farmers were less trained on this technology. The analytical findings are presented in Table 8.

A close perusal of Table 8 reveals that, SRI cultivation technology of paddy contributes more benefits to the farmer, as indicated by the highest BCR of 1.06 followed by semi-dry (0.66) and transplanted (0.52) production technologies. It is quite interesting to note that, SRI cultivation technology benefited the farmers over semi-dry and transplanted technologies through increasing the paddy yield. On the other hand, semi-dry paddy benefited the farmers over transplanted technology through reduction in the cost of cultivation. Both SRI and semi-dry cultivation technologies involve less irrigation cost (Rs.437.56/ha and Rs.475.11/ha respectively) when compared to transplanted technology (Rs.848.78/ha). The reduction in irrigation cost in SRI and semi-dry paddy production technologies is significant, as indicated by the decline to a tune of 48.45 and 44.02 per cent respectively over transplanted technology. This clearly indicates that, by less water usage, paddy returns can be boosted by adopting SRI and semi-dry production technologies. Even though the total operational costs incurred in SRI cultivation are higher (mainly due to land preparation and levelling, organic manures and weeding) than transplanted and semi-dry cultivation technologies, the increased contribution from yield boosted the net returns. The lower irrigation cost in SRI cultivation technology is a heartening aspect benefiting the farmers to produce more crop per unit of water resource used.

The lower paddy yield in semi-dry production technology is compensated by the declined cost of cultivation, thereby contributing higher BCR over transplanted technology. The increased yield and declined cost of cultivation of paddy in SRI and semi-dry production technologies respectively were mainly responsible for the low cost of production of paddy in SRI (Rs. 209.06/qlt) and semi-dry (Rs. 244.82/qlt) technologies over transplanted technology (Rs. 277.67/qlt). To have a clear picture about the importance and relative advantages of these water saving paddy production technologies over the transplanted method, the details are shown in table 9.

Table 8: Comparative economics of paddy cultivation under different water management situations (Rs/ha)

S.No	Particulars	Transplanted paddy#	Semi-dry paddy##	SRI### cultivation
1	Operational Costs			
2	Land preparation & levelling	1344.44	750.15	2011.11
3	Seed & transplanting	2536.11	1000.52	1333.33
4	Organic manures	1885.00	495.65	2296.11
5	Fertilizers	2481.11	2465.85	2231.11
6	Weeding	991.67	1790.50	2593.11

7	Plant protection	1544.78	660.25	1023.33
8	Irrigation	848.78	475.11	437.56
9	Harvesting, threshing, winnowing, & bagging.	3582.22	3575.67	3526.67
10	TOTAL OPERATIONAL COST	15214.11	11213.70	15452.33
11	Fixed Costs			
12	Interest on Working capital	317.07	252.31	331.76
13	Land Revenue	200.00	200.00	200.00
14	Depreciation	392.46	345.27	382.63
15	Rental value of owned land	2000.00	1600.00	2000.00
16	Interest on fixed capital	200.00	160.00	200.00
17	TOTAL FIXED COSTS	3109.53	2557.58	3114.39
18	TOTAL COSTS	18323.64	13771.28	18566.72
19	GROSS RETURNS	27921.41	22856.25	37911.63
20	NET RETURNS	9597.77	9084.97	19344.91
21	BCR	0.52	0.66	1.04
22	Yield (qtls/ha)	65.99	56.25	88.81
23	Cost of production (Rs/qlt)	277.67	244.82	209.06
24	Man days of employment (No./acre/season)	70.51	89.71	75.73

Note : @ - Direct sowing of paddy

- # - Nursery seedlings of 25 days age are transplanted in main field. The main field was maintained under water logged condition upto a depth of 5 cm till harvesting stage.
- ## - Germinated paddy sown directly in the main field. Alternate wetting is done upto the panicle initiation stage and later standing water is maintained upto a depth of 5 cm when canal water is available.
- ### - 8-12 days old nursery is transplanted in the main field. The main field is maintained in a saturated condition (without water logging) upto the panicle initiation stage and later standing water is maintained upto a depth of 5 cm.

Raw Data Source : Personal interviews with sample farmers (n = 120)

Prioritization of researchable issues in KWD

While funds available for agricultural research are declining over a period, the expectations are still on the rise. There lies an immense need to prioritize researchable issues/problems of KWD such that, the most urgent problem is tackled first. Accordingly, Garrett's ranking test was employed to prioritize the researchable

problems of the KWD and the findings are shown through table 10. It is clear from the table that, all the sample farmers unanimously expressed about the water management problems in KWD. It is interesting to note that, both the system-level and field-level interventions need to be addressed to solve the issues/problems of water management. Besides addressing the water management problems, there is an immense need to develop varieties suitable for soil salinity and water logging situations and also to suit the situation of less water availability, to develop cost-effective package of practices in the light of IWRM and to standardize the water requirement data for different paddy production technologies.

Table 9: Advantages of practicing water saving paddy production technologies (semi-dry and SRI) over normal transplanted method

S.No.	Features	Transplanted method	Semi-dry method	SRI method
1.	Time of planting	Usually delayed due to late release of canal water (2 nd fortnight of Aug)	Timely sowing can be done with the onset of summer showers (June)	Timely sowing can be done with the onset of summer showers. (June)
2.	Time of transplantation	25 Days	—	8-12 Days
3.	Irrigation cost (Rs/ha)	Highest (848.78)	Lower than transplanted method (475.11)	Lowest (437.56)
4.	Possibility of second crop	Very low chance. Because of indiscriminate water usage in kharif season, low rainfall and less water in the reservoirs.	Yes. The crop season was started in time and less water used for kharif paddy. Bright chances for taking up pulse crop during rabi season.	Yes. The crop season was started in time and less water used for kharif paddy. Bright chances for taking up pulse crop during rabi season.
5.	Major factor influencing returns	Market price.	Decline in cost of cultivation.	Drastic increase in yield.
6.	No. of man days of employment/acre/season	Lowest (70.51)	Highest (89.71)	Higher than transplanting method (75.73)

Note : DAS – Days After Sowing



Table 10: Garrett's ranking of prioritization of researchable problems in KWD

S.No.	Researchable Issues	Score	Rank
1	Delay and untimely release of canal water affecting crop yields	79.86	I
2	Declining yields and cropping intensity due to water logging and soil salinity problems	68.11	II
3	Increased cost of cultivation of agricultural crops especially in problematic soils	63.59	III
4	Standardization of water requirement data/information for paddy grown under different water management production technologies	42.18	
5	Lack of situation specific crop varieties (paddy and black gram) suitable to salinity and water logging conditions and less water /drought conditions.	55.32	
6	Low prices for agricultural commodities in the market economy	40.29	

Planning IWRM on the lines of paradigm shifts

The analytical findings pertaining to the growth pattern of irrigated area, contribution of different irrigation sources towards irrigating the crops, economic analysis of major crop enterprises cultivated and their contribution towards number of man days of employment, economic efficiency of irrigation water resource in cultivating the crops, degree of association between irrigation cost and gross returns of selected crop enterprises and the influence of irrigation cost on the gross returns will enable us to understand the impact of irrigation resource in influencing agri-business. Further, the other important finding that, through less water usage, crop production can be sustained, that too with higher returns and increasing periods of

employment, is really an encouraging aspect, as the dissemination of technology on these lines will definitely enable the farming community to increase their cropping intensity and there lies more scope to regulate the water flow from head reaches to the tail end reaches of canal commands for increasing the cropped area in KWD. This really demands more technological interventions relating to the standardization of water requirement data for different water saving paddy production technologies, as the situation in KWD is getting worse year by year in relation to irrigation water availability. Of course, keeping the uncontrollable natural factors aside, it is possible to regulate the irrigation system in KWD, as the execution of water saving production technologies are feasible in the farmers' fields and the situation is more demanding now. This needs systematic planning and implementing of the important strategies/concepts of IWRM i.e., enabling environment, institutional roles and functions and management instruments, as shown in figure 1, and this will definitely promote the agricultural scenario through improving the irrigation efficiency in KWD.


A close perusal of figure 1 clearly depicts an interesting picture that, the present scenario in the KWD is very congenial to implement different water management strategies of IWRM, as they are encouraged not only by the efficient actions of different interventions, but by the congenial environment prevailing for executing these interventions. The environment in the State in general and in KWD in particular, with reference to the execution of various developmental activities in agriculture, that too in relation to the water management aspects, will definitely exert strong motivating force for planning technological interventions relating to water management. As water scarcity is the present crisis now and it may prevail in the future also, due to increasing competition arising from the household and industrial sectors, there is an immense need to plan and implement water saving crop production technologies in agriculture. This is because, agriculture is the major sector contributing to the State's income and providing employment to a significant number of rural population. The enabling environment, institutional roles and functions and management instruments are a posing favourable picture for executing water management interventions in KWD. This facilitates the farming community to harvest good crop per unit of water resource used in the production programme. However, the application of these concepts of IWRM should be planned on the lines of various paradigm shifts identified in KWD (Table 11) in the light of acute water scarcity, salinity and water logging problems. This will definitely boost the profitability in agricultural production and thereby, sustain the farming community in agri-business. Giving more emphasis on the paradigm shifts is also helpful to identify the actual potential areas, where enough thrust is required to achieve desired benefits from the technological interventions. Moreover, they will definitely pave the right way to improve the agricultural scenario in KWD suiting to the present needs and to the emerging challenges in the ensuing future.



Table 11: Important paradigm shifts identified to plan technological interventions of IWRM in KWD

S. No.	Paradigm shift	
	Shift from	Shift to
1.	Farmers perceive water as a 'Free Good'.	Farmers should be convinced that, water is a 'finite, vulnerable and economic (scarce)' good.
2.	Farmers were treated as a mere 'Recipient' of technological interventions.	The accountability of farmers in adopting the technological interventions will be given more importance by involving them in cost sharing.
3.	More crop production with no emphasis on cost-effectiveness.	More crop production with due emphasis on cost-effectiveness through IWRM
4.	Application of water to the crop fields as and when it is available in the sources (canals/tanks/wells etc)	Application of water as per the recommended quantity at the critical moisture sensitive stages (CMSS) of crops and standardization of water requirement data to the crops (farming-situation wise).
5.	Lack of coordination between the Farmers' Organizations (FOs)/ Water Users' Associations (WUAs) and officials from Agriculture and Irrigation departments.	Bringing system level interventions to coordinate the FOs/WUAs and officials from Agriculture and Irrigation departments, such that the water releases matches with acreage of crops and crop growth stages.
6.	Flooding the fields with irrigation water.	More emphasis on micro-irrigation (more crop per drop of water used)
7.	Application of chemical amendments to restore saline affected lands in water logged areas as a temporary solution.	Installation of sub-surface drainage system to restore saline affected lands in water logged areas on a permanent basis.
8.	Paddy as a second crop.	Improving the profitability of cropping pattern by suggesting equally remunerative crops but with less water requirements.
9.	Participation of farm women in water management is neglected.	More emphasis on the role of farm women in collecting and safeguarding the irrigation water.
10.	More emphasis on production/unit of land under cultivation.	More emphasis on production/unit of irrigation water resource used or irrigation cost incurred.

Fig : 1 KEY CONCEPTS OF IWRM



Conclusions and Suggestions

To conclude, the irrigation water usage in KWD showed low economic efficiency. Further, the declined contribution from the major irrigation sources and the declined growth in irrigated area of major crop enterprises cultivated in KWD calls for systematic planning and implementation of IWRM on the lines of different paradigm shifts identified in lieu of acute water scarcity and prevalence of soil salinity and water logging problems. Promoting cost-effective crop production technologies with major reference to irrigation water resource were immensely useful to sustain the agri-business in KWD both in terms of increasing cropping intensity and regulating the water flow to the tail end commands. As the basic concepts of IWRM viz., enabling environment, institutional roles and functions and management instruments are posing a favourable picture for the effective implementation of water saving crop production technologies in KWD, there lies an immense need to address the prioritized researchable issues of water management. Both the system level and field level management interventions need to be addressed for improving the irrigation water usage efficiency in KWD. To achieve better results, a participatory approach involving all possible stake holders viz., Farmers' Organizations, Water Users Associations, Department of Agriculture, Department of Irrigation, District Water Management Agency, Women groups, NGOs etc., deserves special attention. This would facilitate the researchers to plan water management strategies more effectively and efficiently so as to combat the declining economic efficiency of irrigation water resource in KWD.