

Village Based Seed Banks in Andhra Pradesh - a Case Study

Ch. Ravinder Reddy¹, Vilas A Tonapi², PG Bezkorowajnyj³, G. Thirupati Reddy⁴ and S P Wani¹

Introduction

The great majorities of the world's food crops are annual species for which seed must be sown each season to establish a new crop. Consequently, seeds are the fundamental biological component of agricultural production. Agriculture in India is over 5000 years old. Farmers have been breeding, selecting and collecting enough seeds, all these years to meet their requirement. The very survival of Indian agriculture for centuries is a testimony to the sound wisdom on seed production and storage being nurtured by the agrarian community. These systems have been variously called a farmer-managed seed system (Bal and Douglas, 1992); Informal seed system (Cromwell et al 1992), traditional seed system and local seed system (Almekinders et al., 1994). But, constant rising population increased pressure on food grain production, is a great task before the agricultural scientists to achieve. In order to achieve the projected demand, quality seed of improved cultivars is the pre-requisite. Improved seed is a catalyst for making other inputs cost-effective. In spite of many efforts, seed supply particularly of food grain crops is a serious concern till today. More than 80% of crops in developing countries are sown from seed stocks selected and saved by farmers across developing countries (Osborne and Faye 1991; Jaffe and Srivastava 1992; Almekinders et al. 1994) and Banerjee (1984) stated that more than 85 percent of total seed sown in India is produced by farmers. In Semi-arid tropics of Andhra Pradesh, 80% of food-feed crops seed is from farmers ownsaved seed (Ravinder Reddy et al. 2007). Quality seed availability is only 12 percent of the total seed used for sowing each year. Hence, large area under food grain crops is still sown with seeds saved by farmers. Experimental evidence is there that cereal crops give 10-20 percent less yield per ha when farmers use their own saved seed. With simple calculation, one could say that about 20-30 million tones food grain production may be added in our total production through the use of quality seed of improved varieties and hybrids.

¹International Crops Research Institute for the Semi-Arid Tropics, Patancheru, AP, India

²National Research Center for Sorghum, Rajendernagar, Hyderabad, AP

³International Livestock Research Institute, c/o ICRISAT, Patancheru, AP

⁴APARD, Non -Governmental Organization, Kurnool District, AP, India



Groundnut Seed Systems in semi-arid Tropics of Andhra Pradesh

Seed systems in Andhra Pradesh, like the rest of the country, consist of public, private and civil sectors. Majority of large and a few medium farmers of Kurnool save their own seed and lend the surplus seed to small farmers with an understanding that one and half times the quantity of seed borrowed will be returned. Groundnut seed supply in Kurnool district is about 40% of farming community availed subsidized government seed supply. The formal seed sector of groundnut is from Seed Development Corporation (government). Informal sector comes from own-saved seed, borrowings from others and the local seed trade occupies a major share (about 60%) in the District (Ravinder Reddy 2004). Groundnut seed distribution by government plays an important role during drought years. A.P. State Seed Development Corporation (APSSDC) also plays a major role in groundnut seed multiplication and distribution in the state. The process adopted by the government for seed distribution, is by calling tenders from seed traders for supplying groundnut seed in a particular area and giving the tender to the lowest bidder to supply seed. The important aspect here is to note that there is no specification of variety to be supplied to a particular agro-climatic zone. The bidder procures seed from the unorganized markets, oil mill companies, or groundnut traders and farmers. Seed is cleaned, graded, packed and supplied to farmers without any tag of variety name. This system of seed distribution clearly indicates that the farmers often sow mixtures of varieties and the cycle continues every year.

Constraints to Farmer-Saved Seed System. A number of constraints act in concert to shrink the traditional system of farmer-saved seed in the dryland districts (Fodder Innovation Project, 2006).

- Groundnut seed is not stored for next year's use due to the perceived threat of pod borer thus forcing the smallholder farmers to sell their produce and depend on external seed sources for the next crop.
- Distress disposal of produce by Farmers due to financial and debt-servicing pressures.
- · Recurrent use of own saved seed for sowing resulting in lower returns to farmers
- Lack of storage facilities and the non-awareness regarding opportunity cost to increase their incomes.
- Dependence of smallholder farmers for seed on large-scale farmers, and their vulnerability to their unfair trade practices.
- Recurrent drought influencing the inflated demand for seed in the subsequent year, since drought year produces pods with shriveled kernels leading to inferior quality seeds.



Constraints to Government Seed Supply. While the government supplies subsidized seed to farmers through APSSDC, it is constrained by several factors.

- Inadequate seed supply: Government seed supply is restricted to 120 kg seed per farmer irrespective of the extent of his/her landholding. Seed supply by APSSDC can only meet 40% of the total seed requirement. Therefore, the quantities supplied to different parts of the district do not always match the local demand.
- The denomination of the seed supplied is not known: It is likely that the seed supplied is a mix of different varieties and not pure types.
- The logistics are expensive and difficult to organize the seed supply by the government agencies due to high costs and other overheads.
- Government seed supply with high subsidies has been a deterrent for entry of private sector.

Other issues. The groundnut seed supply system, particularly in Anantapur district, has been beset by several other problems which have limited the impact of the formal seed system (Prasad et al.,2006).

- Farmers are vulnerable to unfair practices such as faulty weighing by market intermediaries. The government has constituted vigilance teams to check market malpractices but they have not been effective.
- Not all watershed/village associations are able to check unfair practices by market broking agents. In some cases, the agents have linkages with big farmers to the detriment of smallholders.
- · The functioning of market yards in Anantapur district has not been efficient.
- There are conflicting references on seed characteristics across actors. Oil millers prefer longer seed with higher oil content, on other hand farmers prefer smaller seeds.

Process

Implementing the seed village concept in project villages started with a reconnaissance survey undertaken to assess the ground situation and ascertain the availability and demand for seeds and understand the existing seed systems. Karivemula, a nucleus watershed village in Kurnool district of A.P. state was chosen as a pilot village for this purpose. Reconnaissance survey reveals that traditional seed systems are location specific and also vary greatly within farmers' communities. A detailed overview of farmers' seed sources and seed distribution channels is often relatively complex with



farmer groups obtaining seeds of different crops and varieties from different sources at different times. It is possible to identify three main groups of farmers with regard to seed sourcing behavior.

- Seed secure and can fulfill their own seed needs
- Source seed off-farm from time to time out of choice
- Source seed off-farm from time to time out of necessity

Seed secure farmers tend to maintain their own varieties with limited influx of new varieties. This would suggest that variety awareness is not always as well developed in traditional farming communities (Table 1). It may also reflect the fact that in traditional self-contained seed systems, the same genetic material may be easily available from neighbors, thus reducing the risk of seed procurement and access.

Table 1. Sources of groundnut seed for sowing in Karivemula village

| | | Awareness | Seed sources | | | |
|---------------------------|--------------------------|---|-------------------|--|-------------------------------|--|
| Farmer category | Percentage of farmers | about improved cultivars ¹ | Own-saved seed | Un organized Markets and Govt. supply | Borrowing from other farmers* | |
| Small farmers (<2ha) | 39.9 | Poor | 30% | 20% | 50% | |
| Medium farmers (2-4ha) | 55.9 | Average | 40% | 30% | 30% | |
| Big farmers (>4ha) | 4.1 | Good | 100% | - | - | |

¹Groundnut, Pearl millet, Foxtail millet, Pigeonpea

Salient Findings of Village Survey

- Karivemula has a vibrant agricultural economy. The most important crop of this village is groundnut, which is grown in over 400 ha. Other crops of significance are tomatoes (320 ha), cotton (192 ha), sunflower (160 ha), pearl millet, (120 ha) and chillies (40 ha).
- Over 70% of small farmers depend on other sources for groundnut seed
- · Awareness about improved groundnut varieties is dismal
- · Average groundnut pod yield from local non-descript varieties was 300-500kg /acre.

^{*}Groundnut seed is taken on loan and repaid in kind (seed) in the ratio of 1:1.5



- Over 95 % of the farmers' own small/medium sized land holdings and are not aware of improved cultivars.
- Majority of medium land holders and almost all large holders use own-saved seeds for sowing while small farmers depend heavily on external sources for seeds.
- Most of the small and medium farmers source groundnut seed from other farmers, unorganized markets, moneylenders, fertilizer/pesticide dealers, and subsidized groundnut seed from government agencies. Distribution of seeds by government agencies is mostly delayed; as a result, they often end up in lost cropping seasons.

The findings gave an insight into the areas that need to be emphasized while mobilizing the groundnut cultivators for setting up village seed bank. It was decided to approach the problem more holistically by taking into consideration the constraints the cultivators were facing. A good seed needs to be facilitated with scientific practices like seed production technology, Integrated pest and disease management, seed health and storage management and marketing linkages to yield sustainable results. Therefore special emphasis was given to a holistic approach to develop alternate seed systems through consortium approach, involving Agricultural University, Regional Research Stations (RRS), State Agricultural department, National Agricultural Research Centers (NARC), Non-governmental Organizations (NGOs), Community Based Organizations (CBOs) and farmers. Two models were developed and tested to make the village seed secure. The models are 1.) Individual farmers as seed bank and 2.) Village Seed Bank (VSB).

Model 1: Individual Farmer as Seed Bank


During the reconnaissance survey we came across a village seed system, which is common and in operation in many villages since time immemorial. In this system the big farmers play a key role. Intentionally or by practice they store large quantities of grain in their storehouse for two purposes. The first one is to sell the grain during off-season for a higher price and the same grain is used as seed during sowing time in a drought year or during shortage of seed. Even otherwise small and resource poor farmers source their seed requirement from large farmers (village landlords) as a general practice in villages and return them in kind @ 1:1.5 or cash whichever is convenient for both. In some villages big farmers are already practicing informal small seed business by growing Open Pollinated Varieties (OPV) under irrigated conditions specifically for seed purpose in case of groundnut, without using breeder/certified seed and seed production principles for production. Farmers believe that sowing groundnut seed produced in post-rainy season (Rabi) gives higher yields than sowing seed produced in rainy season (Kharif). The other belief is that, sowing the seed produced in other fields or other areas yield higher than sowing own field-produced seed. The above perceptions are one of the reasons for



groundnut farmers' dependence on external sources for seed every year. Taking strength from the existing local seed system "Individual Farmer as Seed Bank" model (Figure 1) was attempted to produce improved varieties for enhancing crop productivity, access to improved varieties, and availability of seed at the right time at an affordable price to resource poor farmers.

As majority of the cultivated area in the village is under groundnut

Figure 1. Individual Farmer as Seed Bank



cultivation, farmers were more inclined and interested in groundnut seed multiplication. Initially in the year 2002 Kharif season, breeder seed of groundnut crop was distributed among the selected farmers on a participatory basis to conduct trials on farmers field and selection of suitable variety was left to the farmers' choice. Subsequently interested big farmers were selected to take up the chosen variety for seed production in Rabi season, 2002 under irrigated conditions.

Selected farmers, along with NGOs, Watershed Development Team (WDT) and village para-workers were trained on-station and on-farm in seed production techniques, Integrated Pest and Disease Management (IPDM), seed health and seed storage management aspects through a consortium approach involving various Agricultural institutes like Regional Research Institutes (RRS) of Agricultural Universities, National Agricultural Research centers (NARC), and International Agricultural Research Centers(IARC).

The quantity of seed produced and distributed by individual farmer as seed bank is given in Table 2. It is evident from the outputs (Table 2) of the intervention, that there is

Table 2. Groundnut seed produced and distributed by Individual farmers in Karivemula village in Kurnool dist. of A.P.

| Year No. of | | Varieties | Quantity of seed transacted (q) | | Quantity of seed retained for his |
|-------------|---------|-----------|------------------------------------|--------|-----------------------------------|
| | farmers | | Cash | Kind** | own use (q)* |
| 2003 | 2 . | Improved | 18 | 2 | 25 (45.0) |
| | | Local | 20 | - | 6(26.0) |
| 2004 | 5 | Improved | 23.5 | 2 | 21.5(47.0) |
| | | Local | 39 | 6 | 22(62.5) |
| 2005 | 6 | Improved | 35 | 3 | 18.5(56.5) |
| | | Local | 25 | - 1 | 12(37) |

^{*} Figures in parenthesis are total quantity of seed produced in quintals

^{**} Seed sold on kind basis at 1:1.5



an increase in number of individual farmers adopting improved varieties seed production and distribution and also using the improved varieties for cultivation on his own farm. The sale of seed is more on cash basis than on kind. Here we can see the shift in the local seed system among small and resource poor farmers. Due to availability and access to improved varieties, on time seed availability and at affordable cost, farmers are willing to invest on inputs like improved variety and good quality seed. Several studies in Africa mention that facts of seed exchange are changing, as most farmers are at least partially integrated into the market economy (Lewis and Mulvany, 1997). The exchange of small grains seed was generally free of charge, or bartered for labour, an axe, or any other material of common interest but now it is on cash basis. In Zimbabwe selling seed to other farmers has become the most prevalent form of exchange (Mugedeza, 1996).

Production of improved varieties and number of farmers producing seed has increased in the village over a period of three years. The changes in attitude and adoption of technology among small and resource poor farmers is a positive indication that farmers are ready to adopt a technology suitable for their eco-region provided there is access and availability of materials of new technology in their vicinity and purview. Due to adoption of improved varieties the village farmers encouraged the seed producing farmers in the village, thus the concept of "individual farmer as seed bank" is an innovation in local seed systems. The age old practice has been redressed by introducing new science tools in seed production and was successful and found sustainable at the village level in disseminating improved varieties and improved production technologies.

The pros and cons of the model

- This model can be tried where NGO/private sector are not willing to take-up operations in remote villages
- Poor willingness of the farmers for saving seed due to problems of storage pests and other financial debts
- First step for village based seed bank or small scale seed enterprise
- External finance not required, as all the inputs required for seed production to marketing is usually met by the farmer (seed producer)
- · Technical institutional services not justifiable for individual farmers
- Procurement of breeder seed is difficult at farmer level once the project is completed
- · No control on fixing selling price of seed



- No control on seed distribution to different communities in the village
- Seed distribution is limited and among selected groups
- Effective and wider scope for adaptation and disseminating improved varieties into informal seed channels

Model 2: Village based Seed Bank

The concept of 'village based seed bank', (VBSB) which advocates village selfsufficiency in production and distribution of quality seeds, is fast gaining ground. Many attempts are on to revive the age-old concept of seed self-sufficiency. Village seed banks operate with utmost transparency, mutual trust and social responsibility of the seed farmer towards his fellow farmers, and under peer supervision. Though this is not an entirely new concept to villagers, it is being promoted to reduce their dependence on external inputs. In this background, an innovative attempt was made to promote the concept of village based seed banks by the International Crops Research Institute for Semi-Arid Tropics (ICRISAT) as an intervention of Andhra Pradesh Rural Livelihood Program (APRLP) in Andhra Pradesh state. Successful Community initiatives were first documented by an in depth study of the seed villages in Tata-ICRISAT project sites at Vidisha and Guna districts, Madhya Pradesh (Sreenath Dixit et al. 2005). This provided the project with an insight into the concept and helped identify gaps so that the concept could be refined and implemented in Andhra APRLP. In this case study, a detailed documentation of the process in implementation of the project in Karivemula village of Kurnool District, A.P. state in India from 2002-2005 is presented

The concept of village seed banks was initiated with great enthusiasm by Self Help Groups (SHGs), Village Organization (VO) and Project Implementing Agencies (PIAs) in the project village. The whole village took up the concept with a lot of enthusiasm during grama sabha (village level meeting wherein all the villagers have the chance to take part). The proposal for a separate village committee for management of seed bank was successfully implemented by PIAs/NGO. The secretaries of the village organizations and SHGs have become members of the village seed bank committee (VSBC) to take up the responsibility of seed production, procurement, storage, fixation of procurement and selling price of seed. The PIAs and committees passed resolutions to ensure the quality of seed and redistribution of procured seed in the village. Their responsibilities also include decisions regarding allocation of seed quantities to each farmer in the Nucleus watershed and to other satellite villages.

a. Capacity Building Strategy


In order to harness the synergy between the technology and community participation,



special emphasis was given to build farmers' capacity to produce quality seeds. A systematic on time (crop stages) training program was developed to attain the objectives. A peripatetic training strategy was adopted for attaining maximum coverage in the given time. In each nucleus watershed two persons each from the PIA/NGO and WDT members besides 2-3 interested farmers each from the nucleus and satellite watersheds were targeted for training. The trainees were exposed to details such as the characteristics of the varieties, isolation distance, purity of seeds and pest and disease management in the seed production plots and seed health and storage management.

b. Farmer Participatory Selection of Varieties

In Kharif 2002, breeder's seeds of different crops selected varieties were procured from various research stations and provided to interested farmers on subsidized price for evaluation. Seeds were provided to the farmers who volunteered to take up on-farm trials with their local varieties as control. At the end of the season, the PIAs, Village Organizations (VOs), and farmers were involved in evaluating these varieties based on pod yield, fodder value and other varietal characters.



Farmers of Karivemula watershed selected three varieties of groundnut ICGS11, ICGS76, and ICGV86590 and multiplied during Rabi season, 2002. In Kharif 2003, seed production of different crops and selected varieties were produced and seed procured by VSBC (Table 4) and distributed on demand to other farmers of the village. During seed production process, members from PIAs and VOs, seed growers and ICRISAT scientists jointly inspected the seed production plots. The farmers were trained and imparted proper technical guidance in different steps of seed production like, selection of field, identification of varietal characters, removing the off-type plants (roguing) and diseases and pest control measures, precautions during harvesting and threshing, and finally in seed health, grading and storage management.

c. Seed Procurement and Distribution

The farmers and seed committee members inspect the quality of the seed not only at the time of procurement but also while the seed production is under way in the field.



A sample of the seed is kept aside from each seed lot and subjected to germination test before seed distribution in the next season. The seed committee and the farmers would decide the procurement price, which would usually be 5-10% above the market price (Table 3). The committee however will decide the selling price during the next cropping season taking into consideration the market price of the seeds and grains. Thus, the committee ensures that the farmers get an incentive to sell and buy the seeds within the village. The basic amount required for procurement of seed from seed producing farmers was secured from the District Water Management Agency (DWMA), a govt. of Andhra Pradesh organization funded by DFID program. The amount was extended to VO as revolving fund, the VO in turn funds the SHG involved in village seed bank committee with minimum interest rate for seed procurement and other seed bank activities.

Table 3. Seed Procurement Price at Karivemula Watershed Seed Bank

| Crop | Seed procurement price Rs / kg | Grain price range in market Rs/kg | |
|-----------|--------------------------------|--------------------------------------|--|
| Groundnut | 17.50 | 15-16 | |
| Castor | 15.00 | 13-14 | |
| Pigeonpea | 17.50 | 14-16 | |

The VSBC resolved to sell seed only to farmers of their village and small quantities to satellite villages. In case of seed surplus over the demand, it would be sold to individual growers of other villages at the same price as sold to the local farmers. The selling price is usually less than the commercial market price and more than the procurement price. The difference in price is to cover expenses such as the premium paid to producers of seed, processing costs, salaries, wages, electricity, bags, chemicals, rent etc, cost of seed treatment, transport and cleaning losses, interest on the capital for purchase of seed.

Table 4. Quantity of Groundnut seed procured and distributed by Village Seed Banks in Karivemula village in Kurnool District, 2004

| Year | Crop | Cultivars | Seed procured and distributed (q) | Number of farmers benefited | Area (ha) under improved cultivars |
|------|-----------|-----------|--|-----------------------------------|---|
| 2004 | Groundnut | ICGS 11 | 36.00 | 55 | 36 |
| | | ICGS 76 | 40.00 | 6.2 | |
| | | ICGV86590 | 16.00 | | |
| | | TAG 24 | 8.90 | | |



| 2005 | Groundnut | ICGS 11 | 10.00 | 68 | 142 |
|------|-----------|-----------|--------|----|-----|
| | | ICGS 76 | 3.00 | | |
| | | ICGV86590 | 5.60 | | |
| | | TAG 24 | 21.70 | | |
| | | TMV 2 | 103.00 | | |
| 2006 | Groundnut | ICGS11 | 30 | 72 | 187 |
| | | ICGS76 | 40 | | |
| | _ | ICGS91114 | 13 | | |
| | | TAG24 | 20 | | |
| | | TMV2 | 16 | | |

Farmers of nucleus and satellite villages approached Village seed bank (VSB) in Karivemula for procuring seed in the month of May-June and priority was given to those farmers who have registered their names by paying Rs. 100/- in advance. In satellite villages, responsibility of seed distribution was given to respective SHGs of the village. While distributing the seed (groundnut pod) to the farmers, a pack of seed treatment chemical (fungicide) was given to each farmer who was instructed to take up seed treatment at the time of sowing and improved crop management practices for high crop production.

Advantages of Village Based Seed Bank as perceived by Farmers

- · Availability of improved varieties seed in sufficient quantity within the village
- · Assured and timely supply of seed.
- · Decentralized seed production
- · Availability of improved variety seed at low price
- · Improved seed delivery system to resource-poor farmers
- Reduced dependence on external seed sources and hence an effective measure to curb spurious seed trade
- Encourages village level trade and improves village economy
- Social responsibility of seed production and delivery system
- · A step ahead towards sustainable crop production
- Avoids introduction of diseases carried through seed (seed-borne pathogens) produced and imported from different agro-ecoregions
- Scope for farmer participatory varietal selection
- Availability of true-to-type varieties and healthy seed within the reach of the farmer at affordable price.



Constraints

- · Willingness of farmers to adopt quality seed production practices
- Additional investment for inputs in seed production
- Buy-back assurance to farmers from SHGs/NGOs/VSBC
- · Proper seed storage facilities and management in the village
- Availability of funds with SHGs/NGOs for seed procurement, seed packing, storage and transportation
- Fixing minimum support price for seed procurement
- · Technical support for seed production and its monitoring
- · Responsibility for quality control aspects and monitoring of seed production
- Availability, access and procurement of breeder's seed for seed production at regular intervals

Increased Adaptation - Enhanced Food-Fodder Production

Groundnut (Arachis hypogaea) haulms provide important fodder resources for livestock feeding in mixed crop livestock systems (Larbi et al. 1999, Rama Devi et al. 2000, Omokanye et al. 2001). In these systems fodder shortage is considered one of the major constraints to high livestock productivity and its corollary, high income from the marketing of livestock products. Shrinking common property resources and the little or no scope to expand arable land are further limiting the availability of fodder resources in the rainfed semi-arid tropics. These factors are increasing the value of groundnut as a food-feed crop for which both pod and haulm yields and quality traits are important.

Table 5. Adaptation of Improved Varieties of Groundnut by Farmers of Karivemula village

| Varieties | Number of farmers | | | | | |
|------------------|-------------------|---------------|---------------|---------------|---------------|--|
| | Year 2002K | Year 2002R | Year 2003K | Year 2004K | Year 2005K | |
| ICGS76 | 1 | 2 | 6 | 21 | 7 | |
| ICGS11 | 1 | 1 | 4 | 17 | 4 | |
| ICG\$86590 | 1 | 1 | 3 | 12 | 11 | |
| TAG24 | - | - | - | 5 | 24 | |
| TMV2 | - | - | - | - | 22 | |
| Total | 3 (1ha) | 4 (2ha) | 13 (8ha) | 50 (36ha) | 68(142ha) | |
| K-Kharif; R-Rabi | i | | | | | |



The area under improved groundnut crop varieties has increased from 1.2 ha in 2002 to 8 ha in 2003, 36 ha in 2004 and 142 ha in 2005, and the number of farmers who adapted new varieties increased from 3 in 2002 to 68 in 2005 (Table 5). Based on seed quantities collected and distributed by VSB, it is expected to cover 400 ha under improved varieties in 2008 Kharif season in nucleus watershed. Farmers preferences varied among the varieties tested; more number of farmers preferred ICGS 76 followed by ICGS 11, ICGS 86590 till 2004; we have introduced two new varieties in the year 2004 Kharif season which was preferred by the highest number of farmer in the year 2005 (Table 5). Among the varieties tested, farmers preferred high yielding variety TAG 24 which was the first preference (Table 6), some farmers preferred ICGS 76 for yield and also fodder for livestock, and some farmers preferred ICGS 86590 for boldness of grain and resistance to leaf spot disease and greenery of foliage for fodder purpose. Preference of farmers was multi-pronged based on the farming system adopted by each farmer.

The message about seeds of improved varieties and VSB activity has spread to satellite watersheds through farmer-to-farmer interactions, relatives, farmers' day celebrations and local newspaper. Groundnut crop is cultivated in all satellite villages around Karivemula and is a major crop. It is expected to cover the major area in nucleus and considerable area in satellite villages by year the 2007-2008 with improved varieties of groundnut. It is estimated that there is an average increase in groundnut production by 55% over local variety and fodder production by 15% (Table 6) and the increase in monetary benefit is around Indian Rupees (INR) 12500 ha⁻¹.

Table 6: Effect of Improved varieties of groundnut on yield of pod and fodder

| Varieties | Yield of pod (Kg ha ⁻¹) | % Change in pod yield over local | Yield of fodder (haulm) Kg ha ⁻¹ | % Change in fodder yield over local |
|----------------|--|----------------------------------|--|-------------------------------------|
| TAG24 | 2680 | +95 | 1420 | -28 |
| TMV2 | 2064 | +50 | 2160 | +9 |
| ICGS 76 | 2380 | +73 | 2670 | +34 |
| ICGS 11 | 2128 | +54 | 2200 | +11 |
| ICGS 86590 | 1916 | +39 | 1968 | +1 |
| Local cultivar | 1374 | - | 1989 | - |

Groundnut haulms are excellent fodder for ruminant livestock, probably as good or better than most of the planted forages in the semi-arid tropics, and livestock productivity can be increased through choice of groundnut cultivars (Blummel et al 2005). Hence, more quantity of groundnut haulms available will directly result in increased productivity of livestock.



Enhanced Livelihood Option

Livelihoods of the villagers enhanced by increased production and returns per unit area through adaptation of dual purpose improved groundnut varieties and seed security by adopting and operating alternative seed systems, through village seed bank concept and it also generated employment for some people in the village (Table 7). It has been proved that VSB concept not only increases the production but also educates and increases awareness on new/improved crop varieties and production technologies. Thus, VSB improves the livelihoods of village farmers due to enhanced crop and fodder production and also improves overall revenue generation in the village by increase in yield of grain and milk production due to enhanced production of fodder

Table 7. Revenue generated by SHGs by operating VSB at Karivemula watershed in 2004

| Crop | Quantity of seed procured (q) | Purchase price per kg (Rs.) | Selling price per kg Seed (Rs.) | Gross profit (Rs.) |
|--------------|----------------------------------|--------------------------------|------------------------------------|-----------------------|
| Groundnut | 92.42 | 1 <i>7</i> .50 | 20.00 | 23105.00 |
| Castor | 5.00 | 15.00 | 20.00 | 2500.00 |
| Pigeonpea | 8.65 | 17.00 | 22.00 | 4325.00 |
| Total income | | | | 29830.00 |
| Expenditure* | | | | 8500.00 |
| Net income | | | | 21330.00 |

^{*}Seed store rent, seed cleaning, and grading, packing, storage pest control

Key Learning

Up scaling of seed villages in APRLP- ICRISAT project sites was a very good learning opportunity with interesting discussions, questions and concerns from farmers on the viability of the seed village concept. Government of Andhra Pradesh has adopted the village based seed bank model developed by ICRISAT to upscale in villages in the state to strengthen the alternative seed systems. The results of this intervention will encourage SHGs, NGOs, KVKs, and farmers to invest in the development of rural small-scale seed enterprises, thus enhancing the adoption and dissemination of new improved varieties and production technologies.

- Seed production capacity in small farmers has been developed and farmers have been successfully linked to institutions and for improved production technologies.
- · The program disseminates improved OPVs to smallholders farmers in dry areas, greatly accelerating diffusion of improved varieties



- Small farmer seed producers are motivated by incentive of higher procurement price for seed produced by them
- · The new varieties are long duration than local
- · Low preference/ acceptability in the market
- Low selling price for improved variety over local by 10-15% in the local markets
- Enhanced productivity (pods) by 55-60% and fodder by 15% over local variety
- Availability of improved varieties at reasonable price and on time to all groups of farmers
- Improved awareness of smallholder groundnut farmers about improved production technologies

Basic Guiding Principles for developing Sustainable Alternative Seed Systems

- 1. Alternate seed systems-"Seed bank" should be built upon a solid understanding of all the seed systems farmers' use and the role they have in supporting livelihoods. The local system is usually more important in farmers' seed security and has been shown to be quite resilient. Depending on the context, the focus of seed bank should normally be on keeping the local seed system operational. One practical problem is that local seed system is often not sufficiently understood, because of its complicity. Hence, there is a need for more emphasis on understanding local seed systems and their role in supporting livelihoods, and on needs assessment.
- 2. There is a need to facilitate access to appropriate and improved varieties seed.
- 3. Alternate seed systems –"Seed banks" interventions should facilitate farmers' choices of crops and varieties.
- 4. Seed bank interventions should aim to improve, or at least maintain, seed quality and aim to facilitate access to improved varieties that are adapted to local environmental conditions and farmers and their livestock fodder needs, including nutritional needs.
- 5. Monitoring and evaluation should be built into all seed bank interventions, to facilitate learning by doing and thereby improve interventions.
- An information system should be put in place based on pilot village learning and as
 a repository of information gained from cumulative experience. Such information
 systems should be institutionalized at national level, to the greatest extent possible.
- 7. A strategy to move from the "pilot village" level to district and state level, has to be drawn for capacity building at development phase while designing the interventions in local seed systems.



Recommendations for Sustainable Seed Systems in Semi-Arid Tropics

- a. Farmer-to-farmer seed exchange and local seed markets are popular throughout the project area but these are not adequately linked with systems for improved seed. It is important that public sector research organizations, which are strong on varietal production, are linked with informal seed supplies. Locally operating institutions, such as NGOs, extension services, Krishi Vignan Kendras (KVKs), farmers' associations and other community-based organizations (CBOs) could play an important role in effecting this link.
- b. Farmer seed producers can be efficient and some of them will have the potential to expand as specialized, small- or medium-sized local seed enterprises (Ravinder Reddy et al., 2007). For these interventions to be sustainable, they must be based on training and market development and not on direct government subsidies.
- c. Sustainable and competitive groundnut seed systems will require substantial reorientation of government philosophies and programs involving groundnut seed distribution. Rather than attempting to directly supply seed to farmers, government programs will need to provide support services that allow developing formal and informal seed enterprises to respond to market (farmer) demand for seed. This essentially seeks to offer farmers a great range of choice in terms of varieties and seed sources. Indirect subsidies may still be important for competitiveness among enterprises.
- d. Programs will need to be vigilant in eliminating subsidized seed distribution that restricts development of a sustainable local seed sector. The key to success in strengthening informal seed systems will be improving farmer and seed producer access to information on product and seed prices and market options.
- e. Development of alternative seed systems for groundnut seed production and distribution in Anantapur and Kurnool districts is an urgent need. The formal seed sector has shown little or no interest in seed multiplication of crops like groundnut with high seeding and low multiplication rates. Transportation, processing, bagging and certification costs make the seed expensive for farmers. Community-based or village-based seed production and distribution schemes have gained increased popularity in recent times (Sreenath Dixit et al. 2005). The concept of village-based seed banks involves improved seed and technical assistance focused on targeted pilot villages in order to train farmers in seed production, storage, seed health and distribution.



Conclusion

Small and marginal groundnut farmers often depend to a large extent on own-saved seed and external sources like unorganized markets, borrowings from other farmers, government departments for important input like seeds. The formal seed sector has a small contribution in seed multiplication for crops like groundnut, with high seeding rates and low multiplication rates. Transport, processing, bulky nature of seed, bagging and certification costs make the seed too expensive for farmers to purchase and is not economical for private seed sector to trade groundnut seed. For such crops, the most economical way would be to produce seed at the village level through community based seed systems and sell it to local communities without incurring the extra costs of processing and certification. Village based seed banks provide an alternative seed system to this problem and help farmers become self-reliant. This initiative needs both organized communities and institutional technical backstopping to strengthen the village seed system.

References

Almekinders CJM, NP Louwaars and GH de Bruijn. 1994. Local seed systems and their importance for an improved seed supply in developing countries. Euphytica. 78:207-216

Ball SS and JE Douglas. 1992. Designing successful farmer-managed seed systems. Winrock International Institute for Agricultural Development. Development Studies Paper Series. Winrock, Arlington, USA.

Blümmel M, S Vellaikumar, R Devulapalli,, SN Nigam, HD Upadhyaya and A Khan. 2005. Preliminary Observations on Livestock Productivity in Sheep Fed Exclusively on Haulms from Eleven Cultivars of Groundnut. International Arachis Newsletter, 25: 55-57

Cormwell E., E.Friis-Hansen and M.Turner. 1992. The seed sector in developing countries: A framework for performance analysis, ODI, London.

Jaffee S and J Srivastava. 1994. The role of the private and public sectors in enhancing the performance of seed systems. The World Bank Research Observations, 9: 97-117.

Larbi A, Dung DD, Olorunju PE, Smith JW, Tanko RJ, Muhammad IR and Adekunle IO. 1999. Groundnut (Arachis hypogaea) for food and fodder in crop-livestock systems: forage and seed yields, chemical composition and rumen degradation of leaf and stem fractions of 38 cultivars. Animal Feed Science and Technology, 77: 33–47.

Lewis L and PM Mulvany. 1996. A Typology of community seed banks. Natural Resources Institute University of Greenwich Central Avenue Chatham Kent ME 4 4TB, United Kingdom.



Mugedeza C. 1996. Local knowledge and systems of on-farm seed production and maintenance in Ward 21 Chivi District-Masvingo. ITDG, Zimbabwe.

Omokanye AT, Onifade OS, Olorunju PE, Adamu AM, Tanko RJ and Balogun RO. 2001. The evaluation of dual purpose groundnut (Arachis hypogaea) varieties for fodder and seed production in Shika, Nigeria. Journal of Agricultural Science 136:75–79.

Osborne T and A Faye. 1991. Using farmers' participatory research to improve seed and food grain production in Senegal. Winrock International Institute for Agricultural Development. Development Studies Paper Series. Winrock, Arlington, USA.

Rama Devi K, Bandyopadhyay R, Hall AJ, Indira S, Pande S and Jaiswal P. 2000. Farmers' perceptions of the effects of plant diseases on the yield and nutritive value of crop residues used for peri-urban dairy production on the Deccan Plateau: Findings from participatory rural appraisals. Information Bulletin no. 60. Patancheru 502 324, Andhra Pradesh, India: International Crops Research Institute for the Semi-Arid Tropics. 35 pp.

Ravinder Reddy Ch. 2004. Seed Systems in Semi-Arid Tropics of Andhra Pradesh. Paper presented in "Enhanced livelihoods of poor livestock keepers through increasing use of fodder", Partners meet from 2-3 September 2004, held at ICRISAT center, Patancheru, India.

Ravinder Reddy, Ch., Vilas A. Tonapi, P G. Bezkorowajnyj, SS Navi and N. Seetharama, 2007 in Seed Systems Innovations in Semi-Arid Tropics of Andhra Pradesh, International Livestock Research Institute, ICRISAT, Patancheru, India 224pp. (ISBN: 978-92-9066-502-1)

Sreenath Dixit, SP Wani, Ch Ravinder Reddy, Somnath Roy, BVS Reddy, TK Sridevi, AK Chourasia, P Pathak, M Rama Rao and A Ramakrishna. 2005. Participatory varietal selection and village seed banks for self-reliance: lessons learnt. Global Theme on Agroecosystems Report No 17. Patancheru 502 324, Andhra Pradesh, India: International Crops Research Institute for the Semi-Arid Tropics. 20pp.